



Test Report

Report No.: XMF20-000033-03

Date: 19 Jan 2020

Client name: FKA Distributing Co., LLC
 Client address: 3170 Walnut Lake Ct, Commerce, MI 48390
 Sample name: Ozone sterilizer
 Sample Batch No.: /
 Production Date: /
 Manufacturer: /
 Sample other information: Brand:HoMedics

Above information and sample(s) was/were submitted and certified by the client, SGS quoted the information with no responsibility as to the accuracy, adequacy and/or completeness.

Date of Sample Received: 02 Jan 2020
 Testing Period: 02 Jan 2020 - 19 Jan 2020
 Test Requested: Selected test(s) as requested by client.
 Test Method: Please refer to the next page(s)
 Test Result(s): Please refer to the next page(s)

Unless otherwise stated the results shown in this test report refer only to the items tested, and for clients internal use only, not to the society has the proof function. This document cannot be used for publicity, without prior written approval of the SGS.



SGS Authorized Signature

scan to see the report



XMF20-000033-02

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch
 Page1 of 2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China. 361101 t 400-691-0488 f (86-592) 5765386 www.sgsgroup.com.cn
 中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t 400-691-0488 f (86-592) 5765386 e sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
 Xiamen Branch Testing Centre Agriculture and Food Laboratory



Test Report

Report No.: XMF20-000033-03

Date: 19 Jan 2020

Sample Description:

| Specimen No. | SGS Sample ID | Description |
|--------------|------------------|------------------|
| 1 | XMF20-000033.003 | Ozone sterilizer |

TEST REQUESTED:

Arrange the experiment test according to the scheme provided by the entrusting party, Test plan - 30s immersion test.

TEST METHOD(S):

Number of viable bacteria:refer to GB 4789.2-2016

TEST STRAIN(s):

Escherichia coli

TEST RESULT(S):

| Test strain | Concentration of bacteria (cfu/mL) | Test result A (cfu/mL) | Test result B (cfu/mL) | Removal rate (%) |
|------------------|------------------------------------|------------------------|------------------------|------------------|
| Escherichia coli | 3.2×10^6 | 4.9×10^3 | 1 | 100.0 |

Remark:

1. TDS value of water sample before test is 58.0mg/L.
2. Removal rate = $((A-B)/A) \times 100\%$.

*** End of Report***

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch
Page2 of 2



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch Testing Centre Agriculture and Food Laboratory
No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China. 361101 t 400-691-0488 f (86-592) 5765386 www.sgs.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t 400-691-0488 f (86-592) 5765386 e sgs.china@sgs.com



Test Report

Report No.: XMF20-003555-01

Date: 13 Jul 2020

Client name: ZHANGZHOU EASEPAL INDUSTRIAL CORPORATION
 Client address: No.228 JiaoSong Road, Taiwanese Investment Zone, Zhangzhou City, Fujian Province,P.R.China
 Sample name: Ozonator Large for Home
 Sample Batch No.: /
 Production Date: /
 Manufacturer: Model: SAN-OZ100

Above information and sample(s) was/were submitted and certified by the client, SGS quoted the information with no responsibility as to the accuracy, adequacy and/or completeness.

Date of Sample Received: 19 Jun 2020
 Testing Period: 19 Jun 2020 - 08 Jul 2020
 Test Requested: Selected test(s) as requested by client.
 Test Method: Please refer to the next page(s)
 Test Result(s): Please refer to the next page(s)

Unless otherwise stated the results shown in this test report refer only to the items tested, and for clients internal use only, not to the society has the proof function. This document cannot be used for publicity, without prior written approval of the SGS.



SGS Authorized Signature

scan to see the report



XMF20-003555-01

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch
Page1 of 3

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China. 361101 t 400-691-0488 f (86-592) 5765386 www.sgs.com.cn
 中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t 400-691-0488 f (86-592) 5765386 e sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
 Xiamen Branch Testing Centre Agriculture and Food Laboratory

Test Report

Report No.: XMF20-003555-01

Date: 13 Jul 2020

Sample Description:

| Specimen No. | SGS Sample ID | Description |
|--------------|------------------|-------------------------|
| 1 | XMF20-003555.001 | Ozonator Large for Home |

TEST REQUESTED:

Arrange the experiment test according to the scheme provided by the entrusting party, The plan --The prototype runs for 2 minutes, and then finished running, sprayed for test.

TEST METHOD(S):

Number of viable bacteria: refer to GB 4789.2-2016

TEST RESULT(S):

1. Escherichia coli, 15 sprays

| Test Organism(s) | Unit | Dwell time | Test Result(s) | | Sterilization rate (%) |
|------------------|--------|------------|---------------------|------------------|------------------------|
| | | | Blank group(A) | Control group(B) | |
| Escherichia coli | CFU/mL | 15 seconds | 4.0×10 ³ | 12 | 99.70 |
| Escherichia coli | CFU/mL | 30 seconds | 4.2×10 ³ | < 1 | >99.98 |
| Escherichia coli | CFU/mL | 60 seconds | 4.6×10 ³ | < 1 | >99.98 |

2. Escherichia coli, 20 sprays

| Test Organism(s) | Unit | Dwell time | Test Result(s) | | Sterilization rate (%) |
|------------------|--------|------------|---------------------|------------------|------------------------|
| | | | Blank group(A) | Control group(B) | |
| Escherichia coli | CFU/mL | 15 seconds | 4.8×10 ³ | < 1 | >99.98 |
| Escherichia coli | CFU/mL | 30 seconds | 4.4×10 ³ | < 1 | >99.98 |
| Escherichia coli | CFU/mL | 60 seconds | 4.4×10 ³ | < 1 | >99.98 |

3. Salmonella enteritidis, 20 sprays

| Test Organism(s) | Unit | Dwell time | Test Result(s) | | Sterilization rate (%) |
|------------------------|--------|------------|---------------------|------------------|------------------------|
| | | | Blank group(A) | Control group(B) | |
| Salmonella enteritidis | CFU/mL | 15 seconds | 8.8×10 ³ | 11 | 99.88 |
| Salmonella enteritidis | CFU/mL | 30 seconds | 9.0×10 ³ | 6 | 99.93 |
| Salmonella enteritidis | CFU/mL | 60 seconds | 8.5×10 ³ | 3 | 99.96 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China. 361101 t 400-691-0488 f (86-592) 5765386 www.sgs.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t 400-691-0488 f (86-592) 5765386 e sgs.china@sgs.com



4. Staphylococcus aureus, 20 sprays

| Test Organism(s) | Unit | Dwell time | Test Result(s) | | Sterilization rate (%) |
|-----------------------|--------|------------|----------------|------------------|------------------------|
| | | | Blank group(A) | Control group(B) | |
| Staphylococcus aureus | CFU/mL | 15 seconds | 39 | < 1 | >97.44 |
| Staphylococcus aureus | CFU/mL | 30 seconds | 36 | < 1 | >97.22 |
| Staphylococcus aureus | CFU/mL | 60 seconds | 43 | < 1 | >97.67 |

Remark:

1. Experimental water: Total Dissolved Solids(105°C) value of water sample before test is 74 mg/L,
2. Sterilization rate $R = (A - B) / A * 100\%$

Sample photo:



SGS authenticate the photo on original report only
*** End ***

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch
Page3 of 3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com